

## ARD-SET 使用論文

- 1) Noguchi T, Progranulin plays crucial roles in preserving bone mass by inhibiting TNF- $\alpha$ -induced osteoclastogenesis and promoting osteoblastic differentiation in mice. *Biochem Biophys Res Commun.* 2015, 465:638-43.
- 2) Murakami T, Isolation and characterization of lymphoid enhancer factor-1-positive deciduous dental pulp stem-like cells after transfection with a piggyBac vector containing LEF1 promoter-driven selection markers. *Arch Oral Biol.* 2017, 81:110-120.
- 3) Furuya M, Evaluation on Cytotoxicity of Natural Rubber Latex Nanoparticles. *e-Journal of Soft Materials,* 2017, 12:1–10.
- 4) Sugimoto A, Piezo type mechanosensitive ion channel component 1 functions as a regulator of the cell fate determination of mesenchymal stem cells. *Sci Rep.* 2017, 7:17696.
- 5) Suzuki H, Gene targeting of the transcription factor Mohawk in rats causes heterotopic ossification of Achilles tendon via failed tenogenesis. *Proc Natl Acad Sci U S A.* 2016, 113:7840-5.
- 6) Okamoto M, Dentinogenic effects of extracted dentin matrix components digested with matrix metalloproteinases. *Sci Rep.* 2018, 8:10690.
- 7) Ali M, Lithium-containing surface pre-reacted glass fillers enhance hDPSC functions and induce reparative dentin formation in a rat pulp capping model through activation of Wnt/ $\beta$ -catenin signaling. *Acta Biomater.* 2019, 96:594-604.
- 8) Siddiqui YD, Resolvin D2 Induces Resolution of Periapical Inflammation and Promotes Healing of Periapical Lesions in Rat Periapical Periodontitis. *Front Immunol.* 2019, 10:307.
- 9) Komichi S, Protein S100-A7 Derived from Digested Dentin Is a Critical Molecule for Dentin Pulp Regeneration. *Cell,* 2019, 8:1002.

- 10) Miyazaki A., Coordination of WNT signaling and ciliogenesis during odontogenesis by piezo type mechanosensitive ion channel component 1. *Sci Rep.* 2019, 9:14762.
- 11) Kobatake R., Comparative Study of Surface Modification Treatment for Porous Titanium. *J Oral Maxillofac Res.* 2020, 11(2): e5.
- 12) Umehara H., Development of a novel bioactive titanium membrane with alkali treatment for bone regeneration. *Dent Mater J*, 2020, 39(5):877-882.
- 13) Hoshikawa S., Phosphorylation-dependent osterix degradation negatively regulates osteoblast differentiation. *FASEB J.* 2020 34(11):14930-14945.
- 14) Yoshida, K., Direct reprogramming of epithelial cell rests of malassez into mesenchymal-like cells by epigenetic agents. *Sci Rep*, 2021, 11(1):1852.
- 15) Zang L., 10-Gingerol Suppresses Osteoclastogenesis in RAW264.7 Cells and Zebrafish Osteoporotic Scales. *Front. Cell Dev. Biol.*, 03 March 2021.
- 16) Moritomo A., SLPI is a critical mediator that controls PTH-induced bone formation. *Nat Commun.* 2021; 12: 2136.
- 17) Kato K., Effect of Azithromycin on Mineralized Nodule Formation in MC3T3-E1 Cells. *Curr Issues Mol Biol*, 2021, 43(3):1451-1459.
- 18) Lin W., The role of osteomodulin on osteo/odontogenic differentiation in human dental pulp stem cells. *BMC Oral Health*, 2019, 19(1):22.
- 19) Sasaki N., Cell Surface and Functional Features of Cortical Bone Stem Cells. *Int J Mol Sci*, 2021, 22(21):11849.
- 20) Yanagisawa T., Glycosaminoglycans promote osteogenesis from human induced pluripotent stem cells via neural crest induction. *Biochem Biophys Res Commun.*, 2022, 603:49-56.
- 21) Islam ST., Analysis of the cells isolated from epithelial cell rests of Malassez through single-cell limiting dilution. *Sci Rep*, 2022, 12(1):382.

- 22) Sasaki Y., Inhibition of Poly (ADP-Ribose) Glycohydrolase Accelerates Osteoblast Differentiation in Preosteoblastic MC3T3-E1 Cells. *Int J Mol Sci*, 2022, 23(9):5041.
- 23) Ukon Y., Prostaglandin EP4 Selective Agonist AKDS001 Enhances New Bone Formation by Minimodeling in a Rat Heterotopic Xenograft Model of Human Bone. *Front Bioeng Biotechnol*, 2022, 10:845716.
- 24) Shirawachi S., Oxidative stress impairs the calcification ability of human dental pulp cells. *BMC Oral Health*. 2022, 22(1):437.